

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- edited with XMLSpy v2013 rel. 2 sp2 (x64) (http://www.altova.com) by
FEDERAL RESERVE BANK OF SAN FRANCISCO (FEDERAL RESERVE BANK OF SAN FRANCISCO)
-->
<!--W3C Schema generated by XMLSpy v2010 rel. 2 (http://www.altova.com)-->
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="transferType" type="xs:string"/>
  <xs:element name="sendingSiteReportKey" type="xs:string"/>
  <xs:element name="rs_id">
    <xs:complexType>
      <xs:simpleContent>
        <xs:extension base="xs:string">
          <xs:attribute name="type" type="xs:string"/>
        </xs:extension>
      </xs:simpleContent>
    </xs:complexType>
  </xs:element>
  <xs:element name="reportingForm" type="xs:string"/>
  <xs:element name="reportingEntityIdentifier" type="xs:string"/>
  <xs:element name="reportingEntity">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="reportingEntityIdentifier"/>
        <xs:element ref="transferType" minOccurs="0"/>
        <xs:element ref="sendingSiteReportKey"
minOccurs="0"/>
        <xs:element ref="processingDistrict" minOccurs="0"/>
        <xs:element ref="confidentiality" minOccurs="0"/>
        <xs:element ref="estimation" minOccurs="0"/>
        <xs:choice minOccurs="0" maxOccurs="unbounded">
          <xs:element ref="itemGroup" minOccurs="0"
maxOccurs="unbounded"/>
          <xs:element ref="reportItem" minOccurs="0"
maxOccurs="unbounded"/>
        </xs:choice>
      </xs:sequence>
    </xs:complexType>
    <xs:unique name="uniqueItemKeyAtEntity">
      <xs:selector xpath="reportItem"/>
      <xs:field xpath="@key"/>
    </xs:unique>
  </xs:element>
  <xs:element name="reportItem">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="rs_id" maxOccurs="unbounded"/>
        <xs:element ref="itemName" minOccurs="0"/>
        <xs:element ref="itemValue"/>
      </xs:sequence>
      <xs:attribute name="key" type="xs:string"/>
    </xs:complexType>
  </xs:element>
  <xs:element name="processingDistrict" type="xs:string"/>
  <xs:element name="itemValue" type="xs:string"/>
  <xs:element name="itemName" type="xs:string" />
  <xs:element name="itemGroup">

```

```

        <xs:complexType>
            <xs:sequence>
                <xs:element ref="reportItem" maxOccurs="unbounded"/>
                <xs:sequence minOccurs="0">
                    <xs:element ref="itemGroup"
maxOccurs="unbounded"/>
                    <xs:element ref="reportItem" minOccurs="0"
maxOccurs="unbounded"/>
                </xs:sequence>
            </xs:sequence>
            <xs:attribute name="ref" type="xs:string" use="required"/>
        </xs:complexType>
        <xs:unique name="uniqueItemKeyAtItemGroup">
            <xs:selector xpath="reportItem"/>
            <xs:field xpath="@key"/>
        </xs:unique>
    </xs:element>
    <xs:element name="financialDataFile">
        <xs:complexType>
            <xs:sequence>
                <xs:element ref="fileDescription"/>
                <xs:element ref="asofDate" maxOccurs="unbounded"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="financialData">
        <xs:complexType>
            <xs:sequence>
                <xs:element ref="reportingEntity"
maxOccurs="unbounded"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="fileDescription">
        <xs:complexType>
            <xs:sequence>
                <xs:element ref="createDate"/>
                <xs:element ref="createTime"/>
                <xs:element ref="dataTypeIndicator" minOccurs="0"/>
                <xs:element ref="requestType" minOccurs="0"/>
                <xs:element ref="receivingSite" minOccurs="0"/>
                <xs:element ref="seriesName" minOccurs="0"/>
                <xs:element ref="reportingForm"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="requestType" type="xs:string"/>
    <xs:element name="dataTypeIndicator" type="xs:string"/>
    <xs:element name="receivingSite" type="xs:string"/>
    <xs:element name="seriesName" type="xs:string"/>
    <xs:element name="createTime" type="xs:string"/>
    <xs:element name="createDate" type="xs:string"/>
    <xs:element name="asofDate">
        <xs:complexType>
            <xs:sequence>
                <xs:element ref="financialData"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>

```



```
<xs:documentation>Revoked</xs:documentation>
    </xs:annotation>
  </xs:enumeration>
  <xs:enumeration value="6">
    <xs:annotation>

<xs:documentation>Expired</xs:documentation>
    </xs:annotation>
  </xs:enumeration>
  <xs:enumeration value="7">
    <xs:annotation>

<xs:documentation>Withdrawn</xs:documentation>
    </xs:annotation>
  </xs:enumeration>
  <xs:enumeration value="8">
    <xs:annotation>

<xs:documentation>Voided</xs:documentation>
    </xs:annotation>
  </xs:enumeration>
  <xs:enumeration value="9">
    <xs:annotation>

<xs:documentation>Mixed</xs:documentation>
    </xs:annotation>
  </xs:enumeration>
</xs:restriction>
</xs:simpleType>
  </xs:attribute>
</xs:extension>
  </xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:schema>
```